

AD-768 397

MECHANISM AND DETECTION OF DECOMPRES-
SION SICKNESS

Michael R. Powell, et al

Ocean Systems, Incorporated

Prepared for:

Office of Naval Research

25 April 1973

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

MECHANISM AND DETECTION OF DECOMPRESSION SICKNESS

AD 768397

Michael R. Powell, Robert W. Hamilton, Jr.,
and Gerald F. Doebbler

Final report to the Office of Naval Research
under Contract N00014-69-C-0346.
Work Unit NR 101-597
1 May 1969 through 28 February 1973

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. Government Printing Office
Stock No. 22151

OCEAN SYSTEMS, INC.

RESEARCH AND DEVELOPMENT LABORATORY

TARRYTOWN, NEW YORK 10591

25 April 1973

Report 130000

OCT 26 1973

STATEMENT A

STATEMENT A
[Illegible text]

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Ocean Systems, Inc., Research & Development Laboratory, Union Carbide Technical Center, Tarrytown, New York 10591		2a. REPORT SECURITY CLASSIFICATION unclassified	
3. REPORT TITLE MECHANISM AND DETECTION OF DECOMPRESSION SICKNESS		2b. GROUP	
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Final report: May 1, 1969 to February 28, 1973.			
5. AUTHOR(S) (First name, middle initial, last name) Michael R. Powell, Robert W. Hamilton, Jr., Gerald F. Doebbler			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
8a. CONTRACT OR GRANT NO. N00014-69-C-0346		8b. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
c.			
d.			
10. DISTRIBUTION STATEMENT Distribution of this document is unlimited			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Department of the Navy, Office of Naval Research, Arlington, Virginia 22217	
13. ABSTRACT			

14

KEY WORDS

LINK A

LINK B

LINK C

ROLE

WT

ROLE

WT

ROLE

WT

Decompression sickness, etiology
Decompression sickness, detection
Gas analysis, tissue, in vivo
Ultrasound, through-transmission
Ultrasound, doppler flowmeter
Bone necrosis

MECHANISM AND DETECTION OF DECOMPRESSION SICKNESS

This report describes the work and results found during studies conducted to elucidate the basic physiology, biochemistry and biophysics involved in the etiology of decompression sickness. We have investigated gas transport in living tissue by means of in vivo probes and mass spectrometric analysis, bubble growth in the tissue microcirculatory system using through-transmission ultrasound, bubble distribution in the major circulatory pathways with both doppler ultrasound flowmeters and visual inspection, and the changes in serum biochemistry following varying degrees of decompression injury. Experiments have been conducted on rats, miniature pigs, and men as the subjects.

The principal methodology employed has been to use dive profiles which result in minimal to no observable signs of decompression sickness in our animal subjects to approximate the situations which obtain in manned diving. This allows an easier transcription of results found from animal experimentation to man; we do not use death as an endpoint in animals, since that data would not apply generally to man.

Through-Transmission Ultrasound

Through-transmission mode ultrasound, at a frequency of 5.7MHz., was employed to study gas-liquid phase separation in thigh muscle of rats following decompression. Pressures were varied to give differing degrees of decompression sickness. The time course for the separation was compared to the time course for the development of decompression sickness signs in other rats, decompressed from similar pressures, exercising on a treadmill. The parameters of

the ultrasound signal attenuation--i.e., time to attain an effect, rate of change of effect, and magnitude of effect--paralleled the manifestations of corresponding signs of decompression sickness.

It was found that there was a period after reaching the "surface" when no gas phase could be detected. The gas phase then slowly grew, either in size and/or numbers of "bubbles", persisted for a period of often three hours for the case of nitrogen as the compression gas, and slowly decayed.

In manned diving trials where through-transmission ultrasound was monitored, an attenuation was not found in the absence of symptoms of decompression sickness; no cases of decompression sickness were encountered for comparison.


Doppler Ultrasound and Visual Monitoring

Studies were made of the distribution of the gas phase in the various venous and arterial channels in the rat following decompression. A doppler ultrasound flowmeter, operated in the transcutaneous mode was employed to detect the presence of bubbles in the posterior vena cava before surgical manipulation. By a visual inspection of the major venous and arterial tracts, the size, number and location of bubbles was determined. Inspections were made on groups of rats decompressed on profiles which produced 100% mortality; the profiles were then reduced in severity, by reducing the time spent at pressure, to a point where individual rats were free of the signs of decompression sickness. Even in this group, bubbles were easily found, and they came from tissue areas not associated with decompression sickness in the rat, e.g., abdominal tissue.

The time course for the appearance and disappearance of venous bubbles was studied. They reached a maximum in number shortly after reaching "surface" and were generally eliminated before the severest degree of decompression sickness was encountered. This is in contrast to bubbles found by the through-transmission ultrasound method in the leg. Here the time course for the appearance and disappearance paralleled the time course of decompression sickness signs.

Correlations between numbers of venous bubbles and the severity of decompression sickness were poor. Arterial bubbles were only found to be present in rats which were moribund; in such cases, cardiac output was reduced to so low a level that the gas phase moved down the arterial tree from the tissues. Retrograde motion of bubbles in the arterial system in these instances allowed a redistribution of gas phase by the arterial system. It must be emphasized, however, that bubbles were never found in the arterial system of rats which had only "limb bends"; arterial bubbles appeared only shortly before death.

The following working hypothesis was developed to explain the various pathophysiological consequences of a gas phase in a animal following decompression. We attribute the effects of decompression in the rat to the presence of three bubble "classes." Class I is a "thrombus-like" gas phase which grows in the microcirculatory system and is responsible for limb pain and possible paralysis when present to a sufficient extent. Venous bubbles, Class II, are generally asymptomatic if limited in number. In larger quantities, this phase will produce respiratory problems and even death through right heart



failure (or pulmonary edema if death does not quickly follow decompression). Arterial bubbles, Class III, occur only when cardiac output has been reduced by a large number of venous bubbles entering the right heart. Arterial bubbles can produce death by embolizing the central nervous system or heart although death generally occurs from right heart failure as the predominant mechanism. The hypothesis is diagramed in the figure.

In Vivo Tissue Gas Analysis

To measure the rate of gas uptake in living tissue, a mass spectrometer analyzer was assembled. Gas was sampled from the tissue by means of a 22-gauge stainless steel tube covered with Teflon. This allowed a sufficient amount of gas to enter the system without depletion of the surrounding tissue. Probes were inserted into the calf muscles of rats; air was used as the compression gas.

No dependence of the uptake rate on pressure (40, 50, and 70 psi.) was found. The uptake halftimes were found to range from 3.8 to 7.8 minutes for the various rats tested. It is not known at this time if this represents a true subject-to-subject difference or it simply reflects a difference in probe position.

There was an indication that the elimination rate was not equal to the uptake rate for decompressions which would not produce signs of decompression sickness. This could be explained as a change in the perfusion rate for the whole tissue as a result of blockage of capillaries by a separated gas phase.

Studies of Serum Enzyme Level Changes

Miniature pigs were subjected to simulated dives on helium-oxygen, neon-oxygen, and nitrogen-oxygen (air) mixtures and decompressed to produce different degrees of decompression sickness. Changes in the serum levels of creatine phosphokinase and lactate dehydrogenase were sought. No difference in enzyme levels between pre-dive and after short air bounce dives were found. Large elevations of these two enzymes were found when nitrogen-oxygen was used as the compression gas and where mild symptoms developed. However no changes were found when helium-or neon-oxygen mixtures were used even if definite severe signs of decompression sickness ("limb bends") were evident. Similar experiments conducted earlier with rats indicated myocardial tissue as the damaged site and the origin of the enzymes. We interpret these findings in pigs as effects on myocardial tissue caused by bubbles in the vena cava and right heart. The more fat-soluble nitrogen would release bubbles into the venous system from adipose tissue. Heart problems would be seen (serum enzyme level changes) in the absence of changes in severity of limb "bend" decompression sickness. In terms of the earlier model, fat-soluble nitrogen would contribute more Class II bubbles than helium or neon; limb pain, the result of Class I bubbles was not the site of tissue damage and origin of CPK and LDH.

Dysbaric Osteonecrosis Studies

Three of the Hormel miniature pigs used in these and other decompression studies have been autopsied and examined for evidence

of bone necrosis. Long bones were X-rayed, sectioned and fixed, are are being processed for further study. This work is being carried out in cooperation with Dr. Kent H. Smith of the Virginia Mason Research Center. The animals were full grown in 1967 and have been subjected to numerous decompressions since 1969. If lesions are found they will be correlated with the diving history of the animals.

PUBLICATIONS AND REPORTS

1. Powell, M.R. Mechanism and detection of decompression sickness. Technical Memorandum UCRI-673, Tarrytown, N.Y.: Ocean Systems, Inc., 1971.
2. Powell, M.R. Leg pain and gas bubbles in the rat following decompression from pressure: monitoring by ultrasound. Aerospace Med. 43:168-172, 1972.
3. Powell, M.R. Gas phase separation following decompression in asymptomatic rats; visual and ultrasound monitoring. Aerospace Med. 43:1240-1244, 1972.
4. Powell, M.R. Tissue gas uptake at elevated pressure determined in vivo by mass spectrometry. Preprints, Annual Meeting, Aerospace Medical Association, Las Vegas, May 1973.
5. Powell, M.R., G.F. Doebbler, and R.W. Hamilton, Jr. Changes in serum levels of creatine phosphokinase and lactate dehydrogenase following decompression in the pig. Manuscript in preparation.
6. Powell, M.R. Biophysical studies of decompression bubbles and their effects. Abstracts, Fifth Symposium on Underwater Physiology, Freeport, Bahamas, August 1972.

-9-

INSTRUCTIONS TO FILL OUT DD FORM 1473 - DOCUMENT CONTROL DATA
(See ASPR 4-211)

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD directive 5200.10 and Armed Forces Industrial Security Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of the author(s) in normal order, e.g., full first name, middle initial, last name. If military, show grade and branch of service. The name of the principal author is a minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year; or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, and 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, task area number, systems numbers, work unit number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (either by the originator or by the sponsor), also enter this number(s).

10. **DISTRIBUTION STATEMENT:** Enter the one distribution statement pertaining to the report.

Contractor-Imposed Distribution Statement

The Armed Services Procurement Regulations (ASPR), para 9-203 stipulates that each piece of data to which limited rights are to be asserted must be marked with the following legend:

"Furnished under United States Government Contract No. _____. Shall not be either released outside the Government, or used, duplicated, or disclosed in whole or in part for manufacture or procurement, without the written permission of _____, except for:
(i) emergency repair or overhaul work by or for the Government, where the item or process concerned is not otherwise reasonably available to enable timely performance of the work, or (ii) release to a foreign government, as the interests of the United States may require; provided that in either case the release, use, duplication or disclosure hereof shall be subject to the foregoing limitations. This legend shall be marked on any reproduction hereof in whole or in part."

If the above statement is to be used on this form, enter the following abbreviated statement:

"Furnished under U. S. Government Contract No. _____. Shall not be either released outside the Government, or used, duplicated, or disclosed in whole or in part for manufacture or procurement, without the written permission of _____, per ASPR 9-203."

DoD Imposed Distribution Statements (reference DoD Directive 5200.20) "Distribution Statements (Other than Security) on Technical Documents," March 29, 1965.

STATEMENT NO. 1 - Distribution of this document is unlimited.

STATEMENT NO. 2 (UNCLASSIFIED document) - This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of (fill in controlling DoD office).

(CLASSIFIED document) - In addition to security requirements which must be met, this document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval (fill in controlling DoD Office).

STATEMENT NO. 3 (UNCLASSIFIED document) - Each transmittal of this document outside the agencies of the U. S. Government must have prior approval of (fill in controlling DoD Office).

(CLASSIFIED document) - In addition to security requirements which apply to this document and must be met, each transmittal outside the agencies of the U. S. Government must have prior approval of (fill in controlling DoD Office).

STATEMENT NO. 4 (UNCLASSIFIED document) - Each transmittal of this document outside the Department of Defense must have prior approval of (fill in controlling DoD Office).

(CLASSIFIED document) - In addition to security requirements which apply to this document and must be met, each transmittal outside the Department of Defense must have prior approval of (fill in controlling DoD Office).

STATEMENT NO. 5 (UNCLASSIFIED document) - This document may be further distributed by any holder only with specific prior approval of (fill in controlling DoD Office).

(CLASSIFIED document) - In addition to security requirements which apply to this document and must be met, it may be further distributed by the holder ONLY with specific prior approval of (fill in controlling DoD Office).

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.